


Copper Universal VGA Cooler Fan w/ Heatsink and TX3 Connector

StarTech ID: FANUNIVGA



This Universal VGA Cooler features both a self-lubricating ball-bearing fan and copper heatsink, providing maximum dissipation and dispersion of heat surrounding a VGA video card/GPU, helping to ensure maximum video performance.

This quiet, high-quality VGA cooler is specially designed for compatibility with the following ATI™ video cards:

RADEON 7200, 7500, 8500, 9000, 9200, 9500, 9600, 9700, and 9800

The VGA cooler is also compatible with the following NVIDIA video cards:

GeForce 3Ti 200, 3Ti 500, 4Ti 4200, 4Ti 4400, 4Ti 600, 4MX 420, 4MX 440, 4MX 460

GeForce FX 5200, FX 5500, FX 5700LE, FX 5600, FX 700, FX 5900, FX 5950, and GeForce 6600

Applications

- Replace a noisy/failing cooling fan on a VGA video card
- Add a cooling fan to a passive cooling (heatsink only) VGA video card
- Compatible with the following reference cards: **ATI RADEON**
8200/7500/8500/9000/9200/9500/9700/9800
Nvidia GeForce 3 Ti 200/500, GeForce 4 Ti 600, MX 440/460, GeForce 6600, FX 5200/5500/5700LE/5600/700/5900/5950

Features

- 40mm ball bearing cooling fan
- Copper heatsink construction
- Standard 3-pin Molex fan connector

Technical Specifications

Warranty	2 Years
Number of Conductors	3
Fans	1 - 40 mm
Fan Dimensions	40 x 40 x 10mm (1.61 x 1.61 x 0.39in)
Fan Bearing Type	Ball Bearing
Connector Type(s)	1 - Molex Fan (3 pin; TX3) Female
Fan RPM	4600 +/-10% RPM
Air Flow Rate	7.63 CFM
Noise Level	<24 dBA
MTBF	12,500 Hours
Color	Copper
Cable Length	9.4 in [240 mm]
Product Length	2.4 in [61.6 mm]
Product Width	2.4 in [61.6 mm]
Product Height	0.6 in [14 mm]
Product Weight	3.2 oz [90.7 g]
Input Voltage	12 DC
Input Current	0.11
Power Consumption	1.32W
Shipping (Package) Weight	0.3 lb [0.2 kg]
Included in Package	1 - Universal VGA Cooler
Included in Package	8 - Copper Heatsink
Included in Package	1 - LP4 Molex to 3-pin connector Cable
Included in Package	1 - Syringe of thermal paste
Included in Package	1 - Package of Mounting Hardware

Certifications, Reports and Compatibility



