

2 Port High Resolution VGA Video Splitter with Audio - 400 MHz

StarTech ID: ST122PROA



This high resolution VGA splitter offers a practical solution for high-res multi-screen presentations, allowing a VGA video signal as well as the corresponding audio to be broadcast from a computer to up to two sets of VGA monitors and speakers simultaneously.

The VGA splitter is ideal for classrooms, tradeshows, in-store displays or any application where high quality video and audio is required, supporting displays with up to 400 MHz of video bandwidth and high resolution applications up to 2048 x 1536.

To help ensure high quality VGA video even at longer distances, the high resolution VGA splitter features a built-in booster circuit that allows monitors to be located up to 210ft away from the host system.

Designed for simplicity and convenience, the VGA splitter offers easy plug and play installation; a completely hardware-based solution, the VGA splitter requires no software operation, saving both time and hassle.

Backed by our 2-year warranty and free lifetime technical support, this 2-port high-resolution VGA splitter lets you get the

most out of your video content with quality construction you can depend on.

Applications and Solutions

- In-store product merchandising
- Information booths/kiosks
- Trade-shows
- Lecture halls and classrooms
- Airports, bus terminals and train stations

Features

- Compatible with VGA, SVGA and Multisync monitors
- 400 MHz bandwidth provides brilliant 2048 x 1536 resolution
- DDC, DDC2 & DDC2B compatible (on Video Out port 1)
- Includes DC 7.5V power adapter
- Daisy chainable for almost unlimited expansion
- Uses standard monitor extension cables (StarTech.com coaxial VGA cables recommended for best picture quality)

Technical Specifications

- Warranty: 2 Years
- Bandwidth: 400MHz
- Product Height: 2.83 in [7.2 cm]
- Product Length: 5.12 in [13 cm]
- Maximum Analog Resolutions: 2046x1536 @ 60Hz
- Output Current: 600mA
- Carton Quantity: 20
- Shipping (Package) Weight: 2.14 lb [0.97 kg]
- Product Width: 2.95 in [7.5 cm]
- **Note:** Units made before August 2008 shipped with AC 7.5V 800mA power adapter

