

4 Port Black USB 2.0 Hub

StarTech ID: ST4200USB



This 4 Port black USB 2.0 Hub turns a single USB 2.0 port into four USB ports, letting you connect your most demanding next-generation peripherals while relying on data transfer speeds of up to 480 Mbps. Backward compatible with the original USB (1.1) standard, the hub also supports older USB peripherals, allowing them to function perfectly with no adjustments.

Designed to make an attractive addition to any desktop workstation, the USB hub features a sleek black casing and takes up minimal desk space. The hub also features Plug and Play connectivity and support for up to 127 USB 2.0 devices (using multiple hubs), making it a snap to expand your PC or Mac environment to suit your needs.

Applications

- Charge iPod's or portable devices that can be recharged through USB 2.0

Features

- High-speed data transfer rates of up to 480 Mbits/sec
- Self-powered or bus-powered
- Over current detection and protection on each downstream port
- Backward compatible with USB 1.1 devices
- USB 2.0 certified by the USB-IF

Technical Specifications

Warranty	2 Years
Ports	4
Industry Standards	USB 2.0
External Ports	1 - Terminal Block (3 Wire)
External Ports	1 - USB B (4 pin) Female
External Ports	4 - USB A (4 pin) Female
Data Transfer Rate	Up to 480 Mbits/sec
OS Support	Windows 98SE/ME/2000/XP/2003 and up, Mac OS 8.6 or up (OS 10.2.4 needed for USB 2.0 speeds)
Platform Compatibility	PC or Mac
Power adapter	Input 100~240V 1.0A 50/60Hz (auto switching) Output 5V DC, 2A Positive Center
Color	Black
Enclosure Type	Plastic
Product Length	3.8 in [97 mm]
Product Width	2.7 in [68 mm]
Product Height	0.7 in [19 mm]
LED Indicators	1 - Power
Power Adapter Included	Yes
Input Current	2.5
Center Tip Polarity	Positive
System and Cable Requirements	Any computer with a USB 2.0 port
Shipping (Package) Weight	0.6 lb [0.3 kg]
Included in Package	1 - USB 2.0 Hub
Included in Package	1 - USB Cable
Included in Package	1 - Power Adapter
Included in Package	1 - User's manual

Certifications, Reports and Compatibility

