

# USB-C VGA Multiport Adapter - USB 3.0 Port - 60W PD

Product ID: CDP2VGAUACP



This USB-C VGA multiport adapter combines the capability of two single-function adapters, a USB-C video adapter and USB-C to USB adapter, into a portable docking station for your laptop. You can instantly connect to a VGA display and a USB 3.0 (Type-A) device, while also powering and charging your laptop using the same adapter.

## Mobile Multitasking

With a secondary display connected to your laptop, you can multitask faster and easier. The USB-C adapter's VGA video output lets you create a dual-screen workstation comprised of your laptop's display and an additional VGA monitor or projector, in a boardroom or other professional environment.

## Powers and Charges Your Laptop

With USB Power Delivery, you can power and charge your laptop by simply connecting the multiport adapter to your laptop's USB Type-C port, then connecting a USB Type-C power adapter.

## Universal Compatibility

The USB-C multiport adapter features a built-in USB-C cable and works with USB-C equipped MacBook, Chromebook™ and Windows laptops that support DisplayPort (DP) Alt Mode and USB Power Delivery.

## Rugged and Portable

Compact, lightweight design and rugged construction lets you take this USB-C video adapter anywhere you take your laptop.

## The StarTech.com Advantage for Docking Stations

- **Maximum compatibility** - StarTech.com has a docking station to fit every operating system, laptop brand, and connectivity need
- 
- **Get more done faster** - More ports and more displays maximize end user connectivity and productivity
- 
- **Quick installation** - eliminate deployment headaches that waste time and frustrate end users
- 
- **IT Grade quality** - trusted by IT pros around the world for our rigorous in-house product testing, robust compliance, and lifetime multilingual technical support

The CDP2VGAUACP is backed by a StarTech.com 3-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Connect to almost any VGA monitor, TV, or projector while travelling
- Ideal for Bring Your Own Device (BYOD) and Choose Your Own Device (CYOD) office applications
- Use with the latest USB-C equipped laptops and Windows® based tablets, as well as the Apple MacBook, and Google Chromebook™

### Features

- Add a VGA port (2048 x 1280p 60Hz) and a USB-A port to your USB-C equipped laptop, MacBook or Chromebook
- Power your laptop with 60W Power Delivery using this multiport adapter and a USB Type-C power adapter
- Connect a USB 3.0 Type-A device, like a flash drive or a mouse, to your Windows or MacBook Pro laptop
- Rugged design for durability, lightweight and compact for portability and convenience
- Supports USB-C DP Alt Mode and is Thunderbolt 3 compatible

<b>Hardware</b>	Warranty	3 Years
	4K Support	No
	Bus Type	USB-C
	Chipset ID	VIA/VLI - VL100 VIA/VLI - VL210 NXP - PTN3355
	Displays Supported	1
	Fast-Charge Port(s)	No
	Industry Standards	USB 3.0 - Backward compatible with USB 2.0 and 1.1
<b>Performance</b>	Maximum Analog Resolutions	2048 x 1280p @ 60Hz Lower resolutions are also supported.
	Maximum Data Transfer Rate	5 Gbps (USB 3.0)
	Type and Rate	USB 3.0 - 5 Gbit/s
	UASP Support	Yes
<b>Connector(s)</b>	Connector Type(s)	1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Male 1 - VGA (15 pin, High Density D-Sub) Female 1 - USB Type-A (9 pin) USB 3.0 Female 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Female
<b>Special Notes / Requirements</b>	<b>Note</b>	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.  The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop.  USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.  System and Cable Requirements A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery 2.0 and DP alt mode).  The multifunction adapter does not include a USB-C power adapter. Optional: the multifunction adapter can be used with a separate USB-C power adapter (for example, your laptop's USB-C based power adapter).
<b>Power</b>	Power Delivery	60W
	Power Source	USB-Powered

<b>Environmental</b>	Humidity	5~90% RH (Non-condensing)
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
<b>Physical Characteristics</b>	Cable Length	5.5 in [140 mm]
	Color	Black
	Enclosure Type	Plastic
	Product Height	0.6 in [15 mm]
	Product Length	3.1 in [80 mm]
	Product Weight	1.4 oz [39 g]
	Product Width	1.6 in [40 mm]
<b>Packaging Information</b>	Shipping (Package) Weight	3.8 oz [109 g]
<b>What's in the Box</b>	Included in Package	1 - USB-C to VGA multifunction adapter

Product appearance and specifications are subject to change without notice.