

# Redundant 200W Media Converter Chassis Power Supply Module for ETCHS2U

Product ID: ETCHS2UPSU



The ETCHS2UPSU Redundant / Replacement 200W Chassis Power Module for ETCHS2U lets you add a redundant power supply, or keep a replacement power supply on hand for your [ETCHS2U](#) media converter chassis.

A hot-swappable, modular design allows a second media converter redundant power supply to be removed or installed while the chassis is still operating, avoiding unnecessary downtime. The power supply is installed using thumbscrews for a quick and easy installation that doesn't require additional tools.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Install into the ETCHS2U media converter chassis to provide redundancy
- Store a replacement power supply to have it on hand in the event of a failure

### Features

- Redundant / replacement power supply for ETCHS2U
- 200W Output
- Hot-swappable, simple installation
- Active Power Factor Correction (PFC)

<b>Performance</b>	Warranty	2 Years
	Efficiency Rating	90% (Typical Load)
	MTBF	65,000 Hours (25°C)
	Output Power	200W
	Power Factor Correction	Active
<b>Power</b>	Input Current	2.2A @ 115VAC / 1.2A @ 230VAC
	Input Voltage	110V-240V AC
	Output Current	16.6A
	Output Voltage	12 DC
	Power Consumption (In Watts)	60
	Power Source	Standard 120V Power Cords
<b>Environmental</b>	Humidity	5~90% RH Non-condensing
	Operating Temperature	0°C to 60°C (32°F to 140°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
<b>Physical Characteristics</b>	Enclosure Type	Steel
	Product Height	4.7 in [120 mm]
	Product Length	8.3 in [212 mm]
	Product Weight	2.2 lb [1 kg]
	Product Width	8.9 in [225 mm]
<b>Packaging Information</b>	Shipping (Package) Weight	3.9 lb [1.8 kg]
<b>What's in the Box</b>	Included in Package	1 - Replacement 200W Power Module for ETCHS2U

Product appearance and specifications are subject to change without notice.