

## Cisco SFP-10G-BX-D-60 Compatible SFP+ Transceiver Module - 10GBase-BX (Downstream)

Product ID: SFP-10G-BX-D-60-ST



The SFP-10G-BX-D-60-ST is a Cisco SFP-10G-BX-D-60 compatible downstream fiber SFP+ transceiver which pairs with StarTech.com's SFP-10G-BX-U-60-ST. They are designed, programmed and tested to work with 10GBase-BX compatible Cisco switches and routers. The SFP+ transceiver module supports a maximum distance of up to 60 km (37.3 mi) and delivers dependable 10 GbE connectivity over fiber cabling.

### Technical Specifications:

- **Wavelength:** 1330nmTx/1270nmRx
- **Maximum Data Transfer Rate:** 10Gbps
- **Type:** Single Mode Fiber
- **Connection Type:** LC Connector
- **Maximum Transfer Distance:** 60 km (37.3 mi)
- **Power Consumption:** Low power consumption
- **DDM:** Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

### **StarTech.com SFPs**

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP Cables, providing the convenience and reliability you need to ensure dependable network performance.

### Certifications, Reports and Compatibility



### Features

- 100% Compatibility with Cisco SFP-10G-BX-D-60 guaranteed
- StarTech.com SFP+ modules are backed by a lifetime warranty
- Pairs with SFP-10G-BX-U-60-ST
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption
- Hot-swappable with fiber-optic modules

	Warranty	Lifetime
<b>Hardware</b>	Compatible Brand	Cisco®
<b>Performance</b>	Maximum Data Transfer Rate	10.00 Gbps
	Power Consumption (In Watts)	< 1W
<b>Physical Characteristics</b>	Product Height	12.600
	Product Length	13.900
	Product Width	58.400
	Weight of Product	24.000
<b>Packaging Information</b>	Package Height	31.000
	Package Length	115.000
	Package Width	90.000
	Shipping (Package) Weight	50.000

Product appearance and specifications are subject to change without notice.